## **Swing Carriages**

Swing Carriage - The load capacity of a forklift jib has a maximum of roughly 1935 lbs to as much as 6000 lbs on either the extended or retracted positions range. You may have to consult with a material handling specialist concerning the particular restrictions of your forklift use. The load capacity rankings are really meant for the jib itself and not the lift truck or even the maximum load that could be lifted safely using a certain forklift. It is very important remember that whenever whatever accessories like for example a forklift jib are added to the lift truck, the new center of gravity created by the accessory will decrease the general lift capacity of the forklift. There are instructions obtainable which offer details on the way to properly calculate these load limits.

Previous to making use of a forklift jib, ensure that it is well secured to the forklift utilizing shackles and hooks. Always be sure to verify that the screw pins are tight. It is essential to even be sure that the weight calculations have been done properly. Keep in mind to take into consideration the truth that rated capacities sometimes decrease when the boom is in an elevated position, when the boom is fully extended with telehandlers or each time the mast is tilted forward.

Some significant pointers regarding the modifiable jib are: do not ever pull a load utilizing a lift truck jib attachment, as these types of accessories are actually used for vertical lift only. At all times lift the load without letting it move backward and forward. Utilize extreme caution each and every time a load is lifted to be able to prevent tipping over the truck.